

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Bird Review

Nebraska Ornithologists' Union

3-1995

WHOLE ISSUE *Nebraska Bird Review* (March 1995) 63(1)

Follow this and additional works at: <https://digitalcommons.unl.edu/nebbirdrev>



Part of the [Ornithology Commons](#), [Poultry or Avian Science Commons](#), and the [Zoology Commons](#)

"WHOLE ISSUE *Nebraska Bird Review* (March 1995) 63(1)" (1995). *Nebraska Bird Review*. 577.
<https://digitalcommons.unl.edu/nebbirdrev/577>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.


Nebraska Bird Review

Magazine of Ornithology of the Nebraska
Region

Volume 63

March 1995

Number 1



Published by the
Nebraska Ornithologists' Union, Inc.
Founded 1899

ISSN 0028-1816

The Nebraska Ornithologists' Union, Inc.
Treasurer's Annual Report, 12/31/94

	<u>Cash</u>	<u>Investments</u>	<u>Total</u>
Balance 1/1/94 on cash basis per bank account	\$ 1428.18	\$ 13,636.47	\$ 15,064.65

Receipts:

Memberships	\$ 3063.00		
Subscriptions	448.00		
Spring Meeting	1812.00		
Fall Meeting	2645.00		
Gifts		595.45	
Interest	20.59	234.48	
Sales-Misc.	12.00		
Postage	10.49		
Cash	2.00		
Transfer from Savings	139.72		
Transfer from CD	954.40		
CD Purchase 6/11/94		9404.55	
CD Purchase 12/31/94		3500.00	
<u>Total Receipts</u>	<u>\$ 9107.20</u>	<u>\$ 13,734.48</u>	<u>\$ 22,841.68</u>

Disbursements:

Nebraska Bird Review:			
1993, 3 Vols.	\$ 1972.38		
1994, 3 Vols.	1954.28		
Newsletter Printing	259.80		
Bulk Mail Postage	450.00		
Incorp. Fee + Late Charges	52.00		
Spring meeting	1483.65		
Fall meeting	2578.00		
Editor's Expenses	117.61		
Richard Peterson	35.00		
Bank Charges	39.50	12.00	
CD Maturity - 6/94		9404.55	
CD Maturity - 12/28/94		4454.40	
<u>Total Disbursements</u>	<u>\$ 8942.22</u>	<u>\$ 13,870.95</u>	<u>\$ 22,813.17</u>
<u>Balance 12/31/94</u>	<u>\$ 1593.16</u>	<u>\$ 13,500.00</u>	<u>\$ 15,093.16</u>

CD #26545250 Commercial Federal Bank
Rate 5.5% Annual Issued June 11, 1994 Matures June 11, 1995
Value @ 6/11/94 \$10,000.00

CD # 24649440 Commercial Federal Bank
Issued December 31, 1994 Matures December 31, 1995
Step-up rate 5.5% to 6.15% = 6.0% Average
Value @ 12/31/94 \$3,500.00

Elizabeth (Betty) Grenon, Treasurer

CHRISTMAS BIRD COUNT FOR 1994

The official count period for the 95th Audubon National Society's Christmas Bird Count was December 17, 1994 through January 2, 1995. Two of the Nebraska locations conducted counts outside the official period, Grand Island on the 16 Dec. and North Platte on 7 Jan.

The numerical data are presented in Table 1 (pages 4-9) in a west (left) to east (right) and north (top) to south (bottom) order for 12 locations entirely in Nebraska, and 2 locations (DeSoto NWR and Tristate) that are not entirely in Nebraska. Unusual species underlined in the reports are marked * before the number in a particular column, and unusual numbers underlined in the reports are shown in **bold**. For Bald Eagles, the total number, which is given first, includes any adults and/or immatures (given in parentheses). Species with subdivisions such as for Snow Goose, Northern Flicker, and Dark-eyed Junco, are counted as a unit in getting species totals.

Sightings not identified to species such as "blackbird sp.," are listed at the ends of the two location descriptions involved (DeSoto and Lincoln), except for hawk groups (Accipiter, Buteo, or Falcon) and "meadowlark sp.," which are in the table. Unidentified species are included in the total numbers but not in the number of species except for "meadowlark sp." when no specific form was reported. Species seen in the count circle during the count period, but not on the count day, are listed at the end of the location descriptions.

The following descriptions of the 14 locations (all in Nebraska unless indicated) with abbreviations (if used) in table, are presented alphabetically, and include pertinent information and names of compilers and participants.

Beaver Valley (Beav. Vall.): center 4 mi. west, 1.5 mi. south of Petersburg, Boone Co. (NW corner of Sec. 5, T21N, R7W); 17 Dec., 7:30 A.M. - 5:15 P.M., temp. 34-38° F., clear, wind NW 15-25 mph, snow 6 in., still water frozen, moving water partly open; 4 observers in 2 parties; 6 hrs. and 6 mi. on foot, 6 hrs. and 106 mi. by car. Tom Dickey, **Wayne J. Mollhoff** (compiler), Colleen and Don Noecker. 39 species, 6754 individuals.

Calamus-Loup (Cal. Loup): center 7 mi. west, 4 mi. north of Burwell (NW corner of Sec. 5, T22N, R17W), circle mostly in Loup and Garfield Cos.; 30 Dec.; cold and snowy; 1 feeder observer (no other data provided). G. Batt, Loren Blake, **Norma Brockmoller** (compiler), Roger and Solde Cutshall, Jean Gahl, Neil Pohlman, Dick and Nancy Powers, Neal and Izen Ratzlaff, Jan Uttecht, Duane Wolff. 51 species, 14,078 individuals. A Green-winged Teal was seen during the count week, but not on the count day.

DeSoto National Wildlife Refuge (DeSoto): center at DeSoto NWR headquarters, areas covered were Missouri Valley and Wilson Island, IA, Blair and Fort Calhoun in NE; 18 Dec. (no weather data provided). Betty Allen, Elliott Bedows, Warren Bielenberg, Gary and Martha Breit, Myrna Brown, John Brownrigg, Harry Duncan, Essie and Sam Grill, Jim and Sandy Kovanda, Steve Lamphere, Jim McLochlin, Jennifer Mortensen, Shirley Noan, Babs and Loren Padelford, Don and Janis Paseka, Cheryl Peterson, Dick Rasmussen, Neal and Izen Ratzlaff, Ernie and Linda Rudolph, **Mindy Sheets** (compiler), Jerry Toll. 58 species, 7523 individuals including unidentified duck (1) and sparrow (144) species.

Grand Island (Grand Isl.): center NW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 1 (T10N, R10W), circle includes all of Grand Island, Cornhusker State Wildlife Management Area, so. half of Hall Co. Airport, and Crystal
(continued on page 10)

Table 1. Nebraska Christmas Bird Count for 1994 in Fourteen Areas.

Species	Scbl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
Pied-billed Grebe												*1		
Horned Grebe		4												
Western Grebe		13												
Amer. White Pelican		3		1										
Great Blue Heron blue form	4	8					3			1	1	1		
Tundra Swan													*1	
Gr. White-fr. Goose		1					3			3		1		
Snow Goose white morph blue morph	1	2		1 2						1	65	12	340 65	2941
Canada Goose	11,683	7942	1010	12,883	8240	250	13,306	176	92	1441	3238	660	1	
Green-winged Teal		9		1			4							
Mallard	2426	1015	125	95	1194	4200	6722	6000	163	3366	368	62	63	2
Northern Pintail	2						2			2	2	2		1
Northern Shoveler		1												
Gadwall		52					1				2			
American Wigeon	64	2			1		1					2		
Canvasback		4						1						
Redhead														2
Ring-necked Duck	1	17					2							
Greater Scaup		28												
Bufflehead		108			4									
Hooded Merganser		16						1						

Species	Scbl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
Common Merganser		35,000	3	1	84	10	6			88	2	15	6	6
Ruddy Duck		2												
Osprey			1											
Bald Eagle adults immature	6 (2) (4)	10	25	11	10		16 (11) (5)	6 (6)	11 (10) (1)	2	1 (1)	16 (11) (5)	43 (31) (12)	14 (12) (2)
Northern Harrier	3	6	2	4	8		10	6	10	30	15	2	3	4
Sharp-shinned Hawk	1	2		1			2		7	4	10	6	2	1
Cooper's Hawk		1	4	1	2		1		2		2			1
Northern Goshawk		1												
hawk (Accip.) sp.		1												
Red-shouldered Hawk												3		
Red-tailed Hawk light morph dark morph Harlan's	9	17	8	16 1	10 1	11 1	19	3	36	56	101	125	33	71 1
Ferruginous Hawk	2	3	1	1	1	1								
Rough-legged Hawk light morph dark morph	3	3	2	4 3	22	2	14	8	10	14	2	4	3	2
hawk (Buteo) sp.					2				2			1	1	
Golden Eagle		1	1	1 imm.				1 imm.						1
American Kestrel	13	19	13	9	8	4	13	2	67	29	41	18	13	36
Merlin		2		1	1		3			3	1		1	
Prairie Falcon		3		2							1			

Table 1. Nebraska Christmas Bird Count for 1994 in Fourteen Areas.

Species	Schl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
hawk (Falcon) sp.		1											1	
Gray Partridge					7									
Ring-necked Pheasant	6	22	7		6	4	13	41	510	36	44	24	53	
Gr. Prairie-Chicken		15	9		322			44						
Sharp-tailed Grouse		1	8		129									
Wild Turkey	17	28			48		17		2			63	10	88
Northern Bobwhite	11	11	5				18		109	35	64	28	11	
American Coot	* 2	1					2							
Killdeer		8									20			
Baird's Sandpiper		1												
Common Snipe	3	4			4				2		1			
Ring-billed Gull	4	3115		5						16	18			3
California Gull		134												
Herring Gull		416	78	5						38	7			
Thayer's Gull		1												
Glaucous Gull		2								1				
Rock Dove	53	53	39	163	40	20	100	14	368	17	478	76	213	41
Mourning Dove		24					2		5	12	141	27	7	
Eastern Screech-Owl		9				1	11	1	6	7	8	3	10	3
Great Horned Owl	4	12	3	2	2	2	9	2	8	17	21	1	3	4
Barred Owl									1		6	2	1	1
Long-eared Owl					1				2	4	13	2	2	

Species	Scbl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
Short-eared Owl									1					
Belted Kingfisher	2	5	2	1	1	2	4		1	5	1	4	1	3
Red-head. Woodpecker											6	128		20
Red-bell. Woodpecker		3	3		3	1	9		19	30	27	71	49	33
Yell.-bel. Sapsucker										1			1	
Downy Woodpecker	6	14	11	8	12	3	21	5	48	66	90	97	89	34
Hairy Woodpecker		5	5	1	9		5	2	15	21	15	11	9	9
Northern Flicker														
Yellow-shafted	9			3		1		3	31		16	42		1
Red-shafted	15			4				2						
Yel-sh. x Red-sh.	1										1			
Northern Flicker	17	42	8		16		24			29	17		94	13
Horned Lark	40	233	542	74	280	22	99	58	131	155	115	11	271	3
Blue Jay	46	14	6	4	2	1	20		50	196	497	197	110	167
Clark's Nutcracker	* 2													
Black-billed Magpie	55	76	11	9	5		20	7	40	7	12			
American Crow	96	36	72	834	1046	27	87	145	358	1131	1544	445	93	291
Bl.-Cap. Chickadee	44	51	13	43	84	17	70	53	149	227	350	421	212	73
Tufted Titmouse												49		25
Red-breast. Nuthatch	12								1		5			
White-br. Nuthatch		8	3	3	6	4	23	18	35	64	65	130	42	35
Brown Creeper		4		1			1	1	3	14	19	7		3
Carolina Wren											2	8		5
Winter Wren										5	1	2		
Marsh Wren		8							1					

Table 1. Nebraska Christmas Bird Count for 1994 in Fourteen Areas.

Species	Scbl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
Golden-cr. Kinglet		4		1	8		3		14	22	51	8		2
Ruby-cr. Kinglet										1				
Eastern Bluebird		3										9	4	3
Mountain Bluebird		7												
Townsen. Solitaire	19	84			1		1	1						
Hermit Thrush													1	
American Robin	85	277	12	4	2			6	20	99	26	10	10	23
Northern Mockingbird			1											
Cedar Waxwing		42			41				61	70	47	125	45	155
Northern Shrike	3	6	3	1	31	3	2	4	11	8	1	1		
Loggerhead Shrike						1			1	1				
European Starling	6482	342	673	312	312	117	753	7	1989	1157	4551	7128	1529	2657
Yellow-rump. Warbler		1										1	1	
Northern Cardinal		20	8	3	23	10	28	1	51	90	181	125	75	76
Rufous-sided Towhee							2		1 east.	6	6 spot			7
Amer. Tree Sparrow	121	285	18	63	705	130	162	19	851	2218	1146	361	700	450
Chipping Sparrow													1	
Field Sparrow											1			
Vesper Sparrow														1
Song Sparrow	8	25				4	3		2	49	56	29	9	24
Lincoln's Sparrow							1							
Swamp Sparrow												9		2
White-thro. Sparrow							*1			1	13			

Species	Scbl.	Lake McC.	North Pl.	Kear.	Cal. Loup	Loup City	Grand Isl.	Beav. Vall.	Nor- folk	Br O Sew.	Lin- coln	Oma- ha	De- Soto	Tri- st.
White-crown. Sparrow	7	9					2			9	9		2	
Harris' Sparrow				1		3	7		39	150	113	1	8	15
Dark-eyed Junco	55	523	127	63	410	33	179	19	618	1120	914		1031	368
Dark-eyed Junco Slate-colored White-winged Oregon	34 4 64					1		31 2	609 9		335 16	717 1		
Lapland Longspur		70								3			1	
Snow Bunting					8			8					6	
Red-winged Blackbird	1270	91	201		1	200		10	32	75	2300	4110	439	23
Western Meadowlark	5		39	8			76		46	1	4	1		
meadowlark sp.		43								24	231	13	108	3
Rusty Blackbird										60		4	50	
Brewer's Blackbird		3						3					8	
Great-tailed Grackle												60		
Common Grackle	3	8			2		1	2	1		36	156		
Brown-headed Cowbird									12	2		45	151	
Purple Finch					1		6		4			4		
House Finch	60	169	118	58		4	63		46	16	167	30	31	13
Red Crossbill	8													
Pine Siskin	48	9	2	26			3			58	30	3	6	
American Goldfinch	215	240	155	34	493	45	50	9	129	348	488	215	72	30
House Sparrow	232	632	269	156	165	20	167	30	2085	471	1558	482	1038	399
Total species	49	87	44	47	50	32	59	39	54	64	67	66	58	51

(continued from p. 3)

Lake; 16 Dec. (1 day before count period), 7:15 A.M. - 5:30 P.M., temp. 28-44° F, clear, wind 10 mph, 95% snow cover, water 95% frozen; 12 observers in 7 parties and 5 feeder watchers; 9.25 hrs. and 8.15 mi. on foot, 22.75 hrs. and 321 mi. by car, 4.75 hrs. and 43 mi. by car owling, 16 feeder hours. Diane Archer, Colleen Babcock, Paul Currier, Jim Etherton, Ken Kroeger, Anne and Ron Kruse, **Gary Lingle** (compiler), Ryan Lingle, Hank Markvicka, Connie McCartny, Jim Meyers, Gary and Scott Purdy, Jeanette Schmidt, Erika Wilson. 59 species, 22,219 individuals.

Kearney (Kear.): center 2 mi. west of Kearney bridge over Platte River, circle includes Kearney Cemetery, Harmon Park, Cottonmill Park, Fort Kearny State Parks, Hiker-Biker trail, Platte River bridges, Kearney and Odessa, Fawn Meadows and Woods, sandpits, and roadside areas; 17 Dec., 8:00 A.M. - 4:30 P.M., temp. 30-45° F, clear, wind 10-15 mph from west, 50% snow cover, still water mostly frozen, moving water 50% open; 6 observers in 2 parties and 9 feeder watchers; 4 hrs. and 9 mi. on foot, 16 hrs. and 196 mi. by car. John and Margaret Bliese, George and Marian Brown, Lori Brown, **Robin Harding** (compiler), Rich Leuhrs, Ilene Paine, **Lanny Randolph** (compiler), Alice Rumery, Sherrard's, Margaret Triplett, and Mark Urwiller. 47 species, 14,990 individuals.

Lake McConaughy (Lake Mc.): center at north end of Ogallala Beach Recreation Area, Gate 20, along south side of the lake, circle includes Lemoyne, Keystone, and Ogallala; 23 Dec., 6:00 A.M. - 5:00 P.M., temp. 19-46° F, clear A.M., partly cloudy P.M., wind calm, still and moving waters open; 14 observers in 6-7 parties, 26 hrs. and 20.5 mi. on foot, 25 hrs. and 273 mi. by car, 3.5 hrs. and 32 mi. owling. Russ Benedict, Gordon Brown, **Stephen J. Dinsmore** (compiler), Joe Gubanyi, Jerry Jorgenson, Joel Jorgenson, Larry Malone, Mark Peyton, Izen and Neal Ratzlaff, Dorothy J. and Richard C. Rosché, W. Ross Silcock, Jerry Toll. 87 species, 52,078 individuals. The following species were seen during the count period but not on the count day: Trumpeter Swan, Wood Duck, Red-breasted Merganser, and Snow Bunting.

Lincoln: center at intersection of Coddington and West A Sts., circle includes Pioneers Park, about 8 mi. in Wilderness Park, Lagoon Park, Yankee Hill Lake and Conestoga Lake areas, eastern half of Pawnee Lake, and Wyuka Cemetery; 17 Dec., 12:00 A.M. - 11:59 P.M., temp. 20-45° F, partly clear A.M., partly cloudy P.M., wind 5-16 mph from W to NW, trace of snow, still water frozen, moving water partly open; 32 observers in 19 parties, 84.5 hrs. and 79 mi. on foot, 45.5 hrs. and 562.5 mi. by car, 10 hrs. and 45 mi. owling, 16 hrs. at feeders. Irene Alexander, Linda Brown, Terri Brown, Cindy Cochran, Jan DeGarmo, Kevin DeGarmo, John Dinan, Joe Doremus, Larry Einemann, Daryl and Margaret Giblin, Carolyn Hall, Nancy Hall, Betsy Hancock, Bob Helter, Jeanette Helter, Mark Humpert, **Paul and Karla Kaufman** (compilers), Tim Knott, Linda Maslowski, Peter Maslowski, Rosalind Morris, Jim Mountjoy, Paul and Phyllis Reagan, Roger Riss, John Sullivan, Clare Sward, Frances Taylor, Moni Usasz, Donald Williams. The following species were reported on the count day without adequate documentation: Snowy Owl, Greater Prairie-Chicken, and Harlan's Hawk. 67 species, 19,761 individuals including unidentified duck (4), hawk (10), owl (2), and blackbird (1) species.

Loup City: center $\frac{1}{2}$ mi. north of junction of highways #10, #58, and #92 in Loup City, Sherman Co. (NW corner of Sec. 13, T15N, R15W); 18 Dec., 8:00 A.M. - 5:00 P.M., temp. 20-41° F, clear, wind 10-20 mph from S, 4" snow, still and moving waters partly open; 1 observer, 4 hrs. and 4 mi. on foot, 5 hrs. and 93 mi. by car.

Wayne J. Mohlhoff (compiler). 32 species, 5155 individuals.

Norfolk: center at junction of US Highway 275 (business route) and US Hwy 81 (13th and Norfolk Ave.); 17 Dec., 5 A.M. - 5:15 P.M., temp. 20-30° F, cloudy and foggy in A.M., partly cloudy in P.M., wind 3-15 mph from N, 1½ in. snow, still water frozen, open water partly frozen; 12 observers in 6-9 parties + 6 at feeders, 23 hrs. and 44 mi. on foot, 58 hrs. and 635 mi. by car, 2 hrs. and 3 mi. owling, 19 hrs. at feeders. Joyce Borgelt, Norma Brockmoller, Ed M. Brogie, Mark A. Brogie, Isolde Cutshall, Roger Cutshall, Jean Gahl, Gene Kincanon, Eldon Marsh, Elmer Neussendorfer, Dick Sanders, Kathy Sanders, **Duane Wolff** (compiler). 54 species, 8236 individuals. The following species were seen during the count week but not on the count day: Red-headed Woodpecker, Snow Bunting.

North Platte and Lincoln County: no official center given according to the rules of the National Audubon Society; 7 Jan. (5 days after count period), 8:00 A.M. - 4:30 P.M., temp. -5-30° F, wind 10 mph from NW, snow cover, Lake Maloney mostly frozen. **Wilma Wyman** (compiler), 10 participants but names not listed. 44 species, 3710 individuals.

Omaha: center at Offutt Air Force Base Lake, Bellevue, circle includes Fontenelle Forest, Lake Manawa (Iowa) State Park, Plattsmouth Waterfowl Refuge, and portions of the Platte and Missouri Rivers; 17 Dec., 5:30 A.M. - 5:15 P.M., temp. 23-45° F, partly cloudy in A.M., clear in P.M., 4" snow, wind 5 mph SE to 25 mph NW, still water frozen, moving water partly open; 32 observers in 8-10 parties + 1 at feeders, 34 hrs. and 33.5 mi. on foot, 38.25 hrs. and 432 mi. by car, 3.75 hrs. and 19 mi. owling, 4 hrs. at feeders. Betty Allen, Jim Alt, Roland Barth, Kathy Bartman, Elliott Bedows, Richard Gilson, Ruth Green, **Betty Grenon** (compiler), Essie and Sam Grill, Yvonne Hardy, Craig Hensley, Marilyn Jensen, Clem Klaphake, Damon Klaphake, Ray Korpi, Jim Kovanda, Sandy Kovanda, Don Maas, Cliff Nation, Babs and Loren Padelford, Richard Rasmussen, Izen and Neal Ratzlaff, Kathleen Rose, Travis Saladino, Eric Scholar, Jerry Toll, Debbie Wigton, Edith Wilson, Sid Wilson. 66 species, 16,547 individuals.

Scottsbluff (Scbl): center at Visitors' Center, Scotts Bluff National Monument, circle includes Scotts Bluff Co. Airport, portions of the Wildcat Hills, part of Carter Canyon, Roubadeau Pass; 17 Dec., 7:15 A.M. - 3:45 P.M., temp. 25-47° F, partly cloudy, 0-1" snow, wind 8.1 mph from NW, still water partly frozen, moving water open; 7 observers in 2-4 parties, 3 hrs. and 2.5 mi. on foot, 18.25 hrs. and 226.5 mi. by car. Helen Hughson, **Alice Kenitz** (compiler), Jude Larkin, Robert Larkin, Larry Malone, Brad McKinney, Leona McMaster. 49 species, 23,486 individuals. Species seen during count week but not on count day: White-breasted Nuthatch, Northern Cardinal. Alice Kenitz wrote:

"One of the Two American Coots was seen in the morning just west of Scottsbluff along the North Platte River. The other was seen in the afternoon east of Scottsbluff in a pond, also near the North Platte River. The temperatures had been unusually warm, and there has been a lot of open water. The two Clark's Nutcrackers were seen in an area near the North Platte River by an observer who has lived in Rocky Mountain National Park and is very familiar with the species. He had an unobstructed view of one bird 25-30 feet away as it scratched around under a Russian Olive tree. After about 15 seconds, it flew into a Russian Olive tree, where there was another Clark's Nutcracker."

Branched Oak-Seward (Br O-Sew.): center 1 mi. south and 1 mile east of Garland (Sec. 9, T11N, R4E), 20 Dec., 5:00 A.M. - 5:30 P.M., temp. 28-34° F, light rain and snow A.M., light rain P.M., 0-2" snow, wind 0-10 mph from SW, 15 observers in 9-10 parties, 43.75

hrs. and 48 mi. on foot, 29.75 hrs. and 330 mi. by car, 3 hrs. and 46.5 mi. owling, 9 hrs. at feeders. James Alt, Ross Benedict, John Brenneman, Roger Cutshall, Larry Einemann, **Joe Gubanyi** (compiler), Chris Helzer, Thomas Labedz, Kevin Poague, Neal and Izen Ratzlaff, Natalie Sunderman, Tom Sylvia, Joe Wolfe, Duane Wolff. 64 species, 13, 285 individuals.

Tristate (Trist.): center at mile 556 on the Missouri River, circle includes Nebraska City, Missouri River bottoms and farmlands in Nebraska, Waubesa State Park and Hamburg in Iowa, and extreme northwest Missouri down to the Nishnabotna River; 30 Dec., temp. 16-36° F, partly cloudy, 2" snow, wind 0-5 mph from S to SE; 6 observers in 4 parties and 1 owling party, 32.5 hrs. total field party hrs., 10 mi. by foot, 352 mi. by car, 1 hr. and 4 mi. owling, 4 hrs. at 1 feeder location. Barbara Cunningham, Carol Falk, Lawrence Falk, **Ross Silcock** (compiler), Jerry Toll, Marie Tiemann, Betty Walters. 51 species, 8189 individuals.

LIST OF SPECIES FOR WHICH THE RECORDS COMMITTEE SEEKS
DOCUMENTATION

The NOU Records Committee at its February 25, 1995 meeting revised the list of species for which the committee seeks documentation. This list was last published in 1988 (NBR 56:86-96). The committee seeks documentation on all species with less than regular occurrence in Nebraska, as well as any species occurring out-of-range or out-of-season. Changes in this list since 1988 include the addition of new species documented for the state, and the deletion of species upgraded to regular status. Below are listed the species of less than regular occurrence based on the official list of state birds (a revised list will be published in a future issue of NBR).

The following kinds of documentation are accepted by the Records Committee: photographs, slides, recordings, and written descriptions. The committee also considers specimens or photographs of specimens in the possession of organizations and/or individuals who have been authorized to have them. In order to legally handle a specimen (roadkill, windowkill, etc.), you are required to obtain both federal and state permits.

Photographs, slides, and recordings are preferred means of documentation whenever possible. A written documentation is often the only available means to document a species. A well-written documentation is extremely valuable, and should include a detailed description of all aspects of the observation, as follows: descriptions of plumage, flesh parts, eye color, size (relative to a species observed at the same time can be very useful), and any noticeable field marks (i.e., wing bars, eye rings, crown stripes, tail markings, etc.). Extraneous observations can often be useful. For example, worn tail feathers or a leg band might indicate that the bird is an escaped captive bird rather than a wild bird. A written description can never have too much detail, but it can easily leave out critical details, which may be important in evaluating the documentation. A very useful part of a written documentation is a discussion of field marks used to separate the bird from similar species. Descriptions of the bird's behavior and habitat are also very important parts of a well-written documentation. In addition to the above, a few details of the observation are also important, including exact location of the sighting, date and time of the sighting, duration of the sighting, optics used, distance from the bird, field guides used to identify the bird, and when the description was written (i.e., written 5

hours later, written 2 days later from notes taken in the field at the time of the observation, written from memory a week later, etc.). For a detailed discussion on how to write a written documentation see NBR 54 (4):74-77 1986. Documentations may be sent to Joseph Gubanyi, Concordia College, Seward, NE 68434.

---Joseph Gubanyi, Records Committee Chair

Red-throated Loon	Mountain Plover	Clark's Nutcracker
Pacific Loon	Eskimo Curlew	Chihuahuan Raven
Red-necked Grebe	Whimbrel	Common Raven
Clark's Grebe	Red Knot	Canyon Wren
Brown Pelican	Sharp-tailed Sandpiper	Bewick's Wren
Neotropic Cormorant	Red Phalarope	American Dipper
Anhinga	Pomarine Jaeger	Varied Thrush
Tricolored Heron	Parasitic Jaeger	Sage Thrasher
Roseate Spoonbill	Long-tailed Jaeger	Curve-billed Thrasher
Wood Stork	Laughing Gull	Sprague's Pipit
Black-bellied Whistling-duck	Common Black-headed Gull	Phainopepla
Tundra Swan	Thayer's Gull	Black-capped Vireo
Bean Goose	Iceland Gull	Blue-winged Warbler
Brant	Lesser Black-backed Gull	Cape May Warbler
Mottled Duck	Great Black-backed Gull	Black-throated Blue Warbler
Eurasian Wigeon	Black-legged Kittiwake	Townsend's Warbler
Common Eider	Sabine's Gull	Pine Warbler
King Eider	Ancient Murrelet	Prairie Warbler
Harlequin Duck	Common Ground Dove	Worm-eating Warbler
Black Scoter	Inca Dove	Swainson's Warbler
Surf Scoter	Groove-billed Ani	Connecticut Warbler
White-winged Scoter	Northern Hawk-Owl	MacGillivray's Warbler
Barrow's Goldeneye	Great Gray Owl	Hooded Warbler
Black Vulture	Boreal Owl	Painted Bunting
American Swallow-tailed Kite	Calliope Hummingbird	Green-tailed Towhee
White-tailed Kite	Broad-tailed Hummingbird	Cassin's Sparrow
Mississippi Kite	Rufous Hummingbird	Black-throated Sparrow
Harris' Hawk	Red-naped Sapsucker	Sage Sparrow
Gyr Falcon	Williamson's Sapsucker	Baird's Sparrow
Sage Grouse	Three-toed Woodpecker	Henslow's Sparrow
Yellow Rail	Pileated Woodpecker	Sharp-tailed Sparrow
Black Rail	Yellow-bellied Flycatcher	Golden-crowned Sparrow
Clapper Rail	Hammond's Flycatcher	Smith's Longspur
King Rail	Ash-throated Flycatcher	Pine Grosbeak
Purple Gallinule	Vermilion Flycatcher	Cassin's Finch
Common Moorhen	Cave Swallow	White-winged Crossbill
Common Crane	Gray Jay	Hoary Redpoll
Snowy Plover	Steller's Jay	Lesser Goldfinch

Editor's Note: The other members of the Records Committee at the time that these guidelines were developed were Mark Brogie, Creighton, NE; Alan Grenon, Seattle, WA; Bill Huser, South Sioux City, NE; Loren Padelford, Bellevue, NE; William Scharf, Lincoln, NE; Ross Silcock, Tabor, IA; and Rick Wright, Urbana, IL.

WINTER FIELD REPORT, DECEMBER-FEBRUARY 1994-95

Compiled by

W. Ross Silcock, P.O. Box 300, Tabor, IA 51653

INTRODUCTION

This was an interesting winter season, with some record late and early dates, rarities, and early arrivals of large numbers of migrants. This information was provided by a dedicated group of observers, who have been patient in understanding the kind of information to report.

First Feb records for Common Loon, first Jan record for Horned Grebe, first wintering record for Western Grebe, record late date for Eared Grebe, first Dec record of Baird's Sandpiper, first Feb record of Winter Wren away from the Missouri valley, and 4th Feb record for Yellow-rumped Warbler, were all notable.

Large numbers of geese, ducks, notably Northern Pintail, and Sandhill Cranes returned early to Rainwater Basin marshes, which were still largely frozen. Lake McConaughy is a staging area for extremely large numbers of Common Mergansers, with about 40,000 there during Dec.

Amazing numbers of Horned Larks and Lapland Longspurs were noted in midwinter, but only 5 Snow Buntings could be located.

Winter finches were conspicuous by their absence; Red Crossbills stayed home, no White-winged Crossbills, Common Redpolls, or Evening Grosbeaks appeared, and Purple Finches and Pine Siskins were not numerous.

Not well known, except by readers of Richard Rosché's 1994 publication "Birds of the Lake McConaughy Area and the North Platte River Valley, Nebraska", is the occurrence in winter of Virginia Rails, Marsh Wrens, and even, once, a King Rail, in the warm water seeps of the Clear Creek Marsh area near Lewellen. Several Virginia Rails were found there in late Dec.

Rarities included the 2nd record of Harris' Hawk, 3rd record of Laughing Gull, an adult gull of the Thayer's/Iceland complex, 2 Clark's Nutcrackers, and Varied Thrush.

ABBREVIATIONS

Initials in parentheses refer to observers; a list follows this report.

* = documented; please refer to Nebraska Bird Review 54:74, 1986 for information about writing documentations, and the Official List of the Birds of Nebraska (NBR 56:86, 1988), which indicates that all those birds whose status is less than Regular, i.e. occurring less often than 9-10 of the last 10 years, should be documented. It is also very important to document very early or very late records of Regular species. The best available reference for such dates is Johnsgard's "A Preliminary List of the Birds of Nebraska and Adjacent Plains States", much of which was published in NBR 48:26 (non-passerines) and NBR 48:46 (passerines). 1980. CBC = Christmas Bird Count; CLNWR = Crescent L NWR; FF = Fontenelle Forest; FWA = Federal Waterfowl Area; L = Lake; LM = Lake McConaughy; NE = Nebraska; NNF = Nebraska National Forest; NPNWR = North Platte NWR; NWR = National Wildlife Refuge; R = River; Res = Reservoir; SHP = State Historical Park; SL = Sewage Lagoons; SP = State Park; SRA = State Recreation Area; UNL = University of Nebraska-Lincoln; WMA = Wildlife Management Area; WPA = Waterfowl Production Area.

ADDENDA AND CORRIGENDA

Calliope Hummingbird: The bird previously reported (NBR 62:137) was collected in section 12-27-57 in Sioux Co.

Red-breasted Nuthatch: Responding to my request for information on breeding on the Wildcat Hills escarpment in Scotts Bluff Co by certain pine-loving species, Wayne Mollhoff noted that this species was reported breeding in Carter Canyon during the Breeding Bird Atlas Project.

Ovenbird: Jan Johnson pointed out that she did not report the single at Ponca SP I attributed to her 27 Aug 1994. In fact, the bird was there, but was seen by Bill Huser.

Henslow's Sparrow: A follow-up to the report of this species appearing in summer 1994 in Lancaster Co (NBR 62:85,115): a nest was built at the site near Bennet (Jennifer DeLisle fide JGu), more exactly located in section 4-8-8 (JGu). The location near Denton was in section 26-9-5 (JGu).

GAZETTEER

Place names, not listed here, can be located in a road atlas. Counties are in parentheses.

Arbor Day Farm (Otoe Co); Arbor L WMA (Lancaster Co); Bluestem L SRA (Lancaster Co); Bowman L SRA (Sherman Co); Branched Oak SRA (Lancaster Co); Bufflehead WMA (Buffalo Co); Carter Canyon (Scotts Bluff Co); Cedar Point Biological Station (Keith Co); Clear Creek Marsh (Garden Co); Crescent L NWR (Garden Co); Fort Kearny SHP (Kearney Co); Funk Lagoon WPA (Phelps Co); Gavin's Point Dam (Cedar Co); Glenn Cunningham L (Douglas Co); Grandpa's Steakhouse Pond (Buffalo Co); Harlan Co Res (Harlan Co); James Ranch (Sioux Co); Johnson L SRA (Gosper and Dawson Cos); Keystone Diversion Dam (Keith Co); Kingsley Dam (Keith Co); L Maloney Res SRA (Lincoln Co); L McConaughy (Keith Co); L Ogallala (Keith Co); L Minatare SRA (Scotts Bluff Co); Loup Junction WMA (Howard Co); North Lake Basin WMA (Seward Co); North Platte NWR (Scotts Bluff Co); Pawnee L SRA (Lancaster Co); Rainwater Basin (large area of wetlands in sc and se NE w of the Big Blue drainage); Standing Bear L (Douglas Co); Summit Res SRA (Burt Co); Sutherland Res (Lincoln Co); Swan L (Lancaster Co); Two Rivers SRA (Douglas Co); Wagon Train L SRA (Lancaster Co).

SPECIES ACCOUNTS

Common Loon: Last were 2 at NPNWR on 1 Dec (LKo), while first in spring were record early on 15 Feb at NPNWR (LKo) and 24 Feb in Cass Co (GWO). These appear to be the first Feb records for NE.

Horned Grebe: The only report was 1 in midwinter at Johnson L SRA on 29 Jan (JoJ), the 1st Jan record for NE.

Eared Grebe: Last were 3 at Swan L on 5 Dec (JoJ), a record late date.

Western Grebe: Last were 2 at NPNWR on 3 Dec (LMA) and, rather easterly, 2 in Lancaster Co the same day (LEi). Probably overwintering, for a 1st such record, were 2 at LM on 5 Feb (SJD). There are no other Jan or Feb records.

American White Pelican: Late birds included 1 over the Odessa bridge 17 Dec (RHa, LRA) and 3 at LM on 22-23 Dec (SJD). At least 1 probably wintered at Sutherland Res, including 5 Feb (SJD); wintering occurred there last year also.

Double-crested Cormorant: Very late were singles at Harlan Co Res on 30 Dec (LRA, RHa) and at Sutherland Res until 24 Dec (JoJ, GJo).

- Great Blue Heron:** At least 6 wintered in the L Ogallala area (SJD,JoJ); none were reported in midwinter away from major river systems. Late were 2 along the Missouri R in Cedar Co on 26 Dec (JJo). Returning birds appear in mid to late Feb; 1 was at Two Rivers SRA on 12 Feb (JoJ) and another in Morrill Co 19 Feb (LMa).
- Trumpeter Swan:** A large group of 10-11 was in the LM area 15 and 29 Jan (LMa,JoJ), and 4 returned to CLNWR on 27 Feb (LMa).
- Greater White-fronted Goose:** Large numbers returned to the Rainwater Basin very early, with 5000 at Funk Lagoon WPA on 4-5 Feb (SJD) and 25 Feb (LRa,RHa). Probably wintering were 9 at Branched Oak SRA on 21 Jan (LEi,WRS). A partial albino was at Grandpa's Steakhouse Pond 22 Jan (LRa,RHa).
- Snow Goose:** This species also returned early in numbers to the Rainwater Basin, where 20,000 were at Funk Lagoon WPA on 5 Feb (SJD,WRS); 10,000 were there 25 Feb (LRa,RHa). Best count in the Missouri valley was only 2200, in Otoe Co 22 Feb (LLF). Last in the w was 1 at NPNWR on 22 Dec (LMa), and in the e 1 at a completely frozen Pawnee L SRA on 24 Dec (LEi). The only midwinter stragglers were 1 at Branched Oak SRA 16 Jan (JoJ) where first spring arrivals were 150 on 18 Feb (LEi), and 4 at Grandpa's Steakhouse Pond 22 Jan (LRa,RHa).
- Ross' Goose:** Unusual in midwinter were 3 at Grandpa's Steakhouse Pond on 22 Jan with the 4 Snows (LRa,RHa). Westerly were 5 at Sutherland Res on 5 Feb with Snows (SJD).
- Canada Goose:** Largest flocks were early migrants in the Rainwater Basin; 40,000 were at Funk Lagoon WPA 4-5 Feb (SJD,WRS). Very large groups winter along the Platte valley, with 20,000 at Sutherland Res 5 Feb (SJD,WRS) and at least as many along I-80 in Kearney Co the same day (SJD,WRS). Largest flocks in the w occurred in Dec, with 11,683 in Scotts Bluff Co 17 Dec (fide AKe).
- Wood Duck:** Very late for the w was 1 in Scotts Bluff Co 13 Dec (LMa). Earliest reported in the e were 2 at Summit Res SRA on 26 Feb (JoJ).
- Green-winged Teal:** Probably wintering were 2 at Two Rivers SRA, seen 16 Jan and 12 Feb (JoJ), 1-6 at Branched Oak SRA 21-24 Jan (LEi,JGu), and 15 at Grandpa's Steakhouse Pond 22 Jan (LRa,RHa). Best count was 72 returnees at NPNWR on 15 Feb (LKo).
- American Black Duck:** None were reported.
- Mallard:** The only large count was an impressive 60,043 at NPNWR on 1 Dec (LKo); 45,000 were there 3 Dec (LMa), but only 407 on 15 Feb (LKo). No large counts were received from the e.
- Northern Pintail:** This species appeared early in large numbers in the Rainwater Basin, where 2500 were at Funk Lagoon WPA 4-5 Feb (SJD,WRS) and 7000 were there 25 Feb (LRa,RHa). Few had appeared by period's end in the w, with only 12 at CLNWR on 27 Feb (LMa); 7 were first at the Gering SL 20 Feb (AKe). Best count in the e was only 50, in Dixon Co 21 Feb (JJo).
- Northern Shoveler:** Midwinter reports included 2 in Scotts Bluff Co on 2 Jan (LMa) and 1 apparently wintering at Two Rivers SRA, seen 16 Jan and 15 Feb (JoJ). No large concentrations were noted.
- Gadwall:** Possibly wintering were 2 in Garden Co 7 Feb (LMa), 32 at Two Rivers SRA 16 Jan (JoJ), and 4 at Branched Oak SRA 16 and 21 Jan (NR,JoJ). A large number rather late were 50 at Gavin's Point Dam 26 Dec (JJo); 23 were there 12 Feb (WRS) and may have wintered.
- American Wigeon:** Uncommon in midwinter, but regular in the Platte valley, 2 were at Sutherland Res 28 Jan (JoJ) and 5 at L Ogallala on 29 Jan (JoJ). A good early count of returnees was 105 at NPNWR on 26 Feb (LMa).

- Canvasback:** Last was 1 at NPNWR on 13 Dec (LMA), while first in spring was at Harlan Co Res 11 Feb (LRA,RHa). Best count was 145 at CLNWR on 27 Feb (LMA).
- Redhead:** Last migrants made up a large group of 100 at L Minatare SRA on 3 Dec (AKE), while first in spring were 4 at Harlan Co Res 11 Feb (LRA,RHa). Very late were 2 on the Missouri R at Nebraska City until 30 Dec (LLF). As many as 500 were at CLNWR by 27 Feb (LMA).
- Ring-necked Duck:** Last was a not particularly hardy bird in Scotts Bluff Co 17 Dec (AKE), while first in spring were 1 in Douglas Co (NR) and 2 in Sarpy Co (NR) on 23 Feb. Best count was 85 at Summit Res SRA on 26 Feb (JoJ).
- Greater Scaup:** The only reports were of 6 wintering in the LM area on 15 Jan (LMA), where a few normally winter, and a migrant in Hamilton Co 28 Feb (JGu).
- Lesser Scaup:** Midwinter reports included 4 at LM on 15 Jan (LMA) and 2 at Bufflehead WMA 23 Jan (LRA,RHa). Last in fall was 1 at Sutherland Res 24 Dec (JoJ,GeJ), and first in spring were 3 at Harlan Co Res 11 Feb (LRA,RHa). Best count was of 375 migrants at Summit Res SRA on 26 Feb (JoJ).
- Oldsquaw:** Only 2 were reported, singles at Bluestem L SRA 5 Dec (JoJ) and at L Ogallala on 28 Jan (JoJ).
- Common Goldeneye:** Best wintering count was a modest 165 at LM on 25 Jan (LMA), while a few wintered at Branched Oak SRA and Pawnee L SRA (LEi). A probable hybrid of this species with Hooded Merganser flocked with goldeneyes on L Ogallala 28 Jan (JoJ); its features were largely intermediate between those of the 2 species.
- Bufflehead:** Last were 2 at Sutherland Res 24 Dec (JoJ,GeJ). Midwinter reports were of 14 at L Ogallala on 28 Jan (JoJ), a good wintering total.
- Hooded Merganser:** Although a cold-tolerant species, only 1 was reported in midwinter, at L Maloney Res SRA on 29 Jan (JoJ). Best counts were 8 on 5 Dec at Wagon Train L SRA (JoJ) and 4 in Scotts Bluff Co 26 Feb (LMA).
- Common Merganser:** An incredible 40,000 were at LM on 23 Dec (SJD); obviously a major staging area for the species. In the w, best count was 3170 at NPNWR on 1 Dec, but only 16 remained 14 Dec (LKO). Perhaps best wintering numbers were at Harlan Co Res, where 8000 were present 30 Dec and a "very large" number was there 11 Feb (LRA,RHa), although no Jan reports were received from Harlan Co Res.
- Ruddy Duck:** Last in fall were 2 at LM 22-23 Dec (SJD,GBr), and first in spring 2 at Standing Bear L 23-24 Feb (NR,JoJ) and 4 at Funk Lagoon WPA 25 Feb (LRA,RHa).
- Bald Eagle:** No large concentrations were noted, especially at Kingsley Dam, where best count received was only 14 birds on 15 Jan (LMA). Elsewhere a roost in Boone Co reached 20 birds, the best yet at the site (WMO).
- Northern Harrier:** Although wintering birds occur in southeast NE regularly, none were noted in sc NE between 27 Dec and 18 Feb (LRA,RHa) and in the w between 6 Dec and 27 Feb (LMA).
- Northern Goshawk:** There were 3 reports; 2, possibly the same bird, were in the L Ogallala area 23 Dec, an ad (SJD,GBr), and 27 Jan, undescribed (JoJ). Another, also undescribed, was in Cass Co 1 Jan (GWO,KDG).
- Harris' Hawk:** If accepted by the NOU Records Committee, 2 sightings of presumably the same bird at Stateline Island (NPNWR) 13 and 27 Jan (LMA) would be the 2nd record for NE, after a specimen collected 28 Oct 1922 in Douglas Co (NBR 45:52). The observer raised the possibility of an escaped bird, but no jesses could be

- seen, and there were other reports during fall and winter of 1994-95 from Colorado, Kansas, and Oklahoma. Prior to this winter there have been about 5 late fall and early winter records in Kansas (Birds in Kansas, 1989. Thompson and Ely.).
- Red-tailed Hawk:** A very pale bird in Dixon Co 25 Dec was white except for some buff on neck and tail (JJo).
- Ferruginous Hawk:** Best count was 4 around LM on 15 Jan (LMa). The ne edge of the species' winter range was probably defined this year by sightings in Howard Co 8 Jan, nw Hall Co 18 Feb, and w Kearney Co 17 Dec (LRa,RHa).
- Rough-legged Hawk:** Best midwinter count was 10 in se Dixon Co on 6 Feb (JJo).
- Golden Eagle:** No reports came from the e; most easterly was 1 on the Grand Island CBC 17 Dec (LRa,RHa), while singles were s of Sutherland Res 29 Jan and in n Hitchcock Co the same day (JoJ).
- Prairie Falcon:** As expected, singles were noted e to the Missouri R except for the se, including Dakota Co 26 Jan (JJo) and Lancaster Co 23 Dec (LEi).
- Gray Partridge:** None were reported; this species appears to be at a cyclical low. It would be of interest to define its range currently; any sightings should be reported from outside Cedar, Dixon, Dakota, Wayne, and Thurston Cos. Does it also occur in the Missouri valley in Burt and Washington Cos.?
- Ring-necked Pheasant:** Good counts of 100 in Dixon Co 15 Feb (JJo) and 94 at CLNWR on 27 Feb (LMa) indicated a successful winter in those areas.
- Greater Prairie-Chicken:** Most NE birds occur in the Sandhills, sw through Dundy Co into Colorado, with another group in the extreme se, a northern extension of the Kansas Flint Hills population. Birds apparently from the extreme se edge of the larger population were noted in Franklin Co 10 Dec, when 4 were seen 2 miles n and 1 mile w of Bloomington (LRa,RHa). A good population also occurs in sw Greeley Co, where 30 were found in 2 flocks 2 Jan and 8 Jan (LRa,RHa).
- Sharp-tailed Grouse:** More generally distributed over the entire w two-thirds of NE than are prairie-chickens, the only report was of up to 9 birds at CLNWR during the period (LMa).
- Wild Turkey:** Reports were statewide, especially in or near major river valleys, including best counts of 35 near Wynot 26 Dec (JJo) and 25 s of Gering on 12 Jan (AKe).
- Northern Bobwhite:** Populations in the extreme w in Scotts Bluff Co are good; 14 were there 17 Dec (LMa).
- Virginia Rail:** Intriguing, although not unprecedented, was the discovery of at least 7 birds through use of a tape in the Clear Creek Marsh near Lewellen on 22 Dec (SJD,WRS,GBr). Rosché (Birds of the Lake McConaughy Area, 1994) cites records for 6 Jan 1984 and 16 Feb 1982 at a warm water spring in the same area.
- American Coot:** The only midwinter report was 1 n of Scottsbluff 23 Dec (AKe), although 12 at Gavin's Point Dam as late as 26 Dec (JJo) may have wintered, as 10 were counted there 12 Feb (WRS). First in spring were 2 at Funk Lagoon WPA on 25 Feb (LRa,RHa).
- Sandhill Crane:** Perhaps more flocks than usual were seen in midwinter, including 20 se Gibbon on 26 Dec and 90 in n Kearney Co on 15 Jan (LRa,RHa), and 54 s of Alda on 5 Feb (SJD,WRS). Returning birds became numerous by late Feb (LRa,RHa). Unexpected was a single flyover at North Lake Basin WMA on 25 Feb (WRS,NR).
- Killdeer:** Wintering birds included 9 below Keystone Diversion Dam seen 23 Dec and 5 Feb (SJD,WRS) and at least 1 at NPNWR, seen 2 and 6 Jan (LKO,LMa).
- Baird's Sandpiper:** A major surprise, NE's latest ever was with Killdeer below Keystone Diversion Dam 23 Dec (*SJD,*WRS,GBr). It

- was an ad in winter plumage. It was not there 5 Feb (SJD,WRS).
- Laughing Gull:** Apparently only the 3rd record for NE, a 1st winter bird was found at Sutherland Res on 22 Dec (SJD,*WRS,GBr). Details are to be published soon in NBR.
- Bonaparte's Gull:** The last birds were 3 in Kearney Co on 3 Dec (LRa,RHa) and 3 at Swan L on 5 Dec (JoJ). These appear to be the latest NE records.
- Ring-billed Gull:** Best fall count was 1834 at NPNWR 1 Dec (LKO). A few wintered at Branched Oak SRA where 4 were seen 21 Jan (LEi), while 500 were at LM 5 Feb, most probably wintering (WRS).
- California Gull:** The usual wintering population was at LM, the 134 there 23 Dec (SJD) shrinking to 26 on 28 Jan (JoJ) and 21 on 5 Feb (SJD,WRS).
- Herring Gull:** Good midwinter counts were 200 at LM on 28 Jan (JoJ) and 35 at Branched Oak SRA 4 Feb (JoJ), where a few wintered (LEi). A single in Scotts Bluff Co 4 Feb (LMA) may have been wintering.
- Thayer's/Iceland Gull:** An ad gull belonging to this complex was at LM 27 Jan (JoJ) and 5 Feb (SJD,WRS). Current literature (for example Kevin J. Zimmer, *Birding* 23:254) suggests the conclusion, as indicated by JoJ, that this bird was in fact a "Kumlien's" Iceland Gull; the "charcoal gray primaries with very large spots" (JoJ) and "gray primaries, not much darker than the mantle" (WRS) are suggestive. If indeed Thayer's Gull represents the "dark end" of the cline, it is characterized by "jet-black" primaries (Zimmer). Currently the Thayer's/Kumlien's complex is generally believed to comprise a potential separate species intermediate between Herring and (nominate) Iceland Gull ("Thaylien's" Gull?). If the LM bird was a Thayer's Gull, it is about the 8th NE record, while if an Iceland, it would be about the 6th NE record.
- Glaucous Gull:** Up to 2 ads and 3 imms were at LM 22 Dec through at least 5 Feb (SJD,JoJ,WRS), while 2 each were at Sutherland Res 24 Dec (JoJ) and at Johnson L SRA 29 Jan (JoJ). This species winters in some numbers in the central Platte valley.
- Mourning Dove:** None were reported n and w of Dixon Co, where the last departed 22 Dec (JJo) and Lancaster Co, where 6 apparently wintering at Wyuka Cemetery were seen 4 Feb (LEi).
- Eastern Screech-Owl:** A westerly count was 6 at NPNWR 31 Jan (LKO).
- Barred Owl:** Branched Oak SRA is near the w edge of the range in NE; 1 was there 5 Feb (JoJ). Reports w of here would be of interest.
- Long-eared Owl:** Best count was 6 at Glenn Cunningham L on 25 Dec (JoJ). Others reported were 4 at Harlan Co Res on 4 Feb (SJD,WRS) and 1 at Branched Oak SRA 16 Jan (JoJ).
- Short-eared Owl:** Up to 4 at North Lake Basin WMA on 18-25 Feb (JGu,NR,WRS) were likely migrants, although wintering is possible.
- Northern Saw-whet Owl:** The only report was of a dead bird found at Summit Res SRA 26 Dec (JoJ); there are no known consistent locations for wintering birds of this species in NE, although wintering would be expected.
- Red-headed Woodpecker:** Wintering birds were checked through the period at Wyuka Cemetery in Lincoln (LEi) and in Otoe Co (LLF). None were reported n or w of these areas, although 4 were in FF 11 Feb (NR), possibly early returnees.
- Yellow-bellied Sapsucker:** Rare in winter in the extreme se, the only reports were from Cass Co 1 Jan (Gwo,KDG) and Arbor Day Farm on 13 Feb (LLF).
- Northern Flicker:** Individuals of the "Red-shafted" form, or at least intergrades, appear regularly in winter e to the Missouri R. A "hybrid" male was in Dixon Co 23 Dec; it had a red nape, red moustache, and red primary shafts (JJo). A "Red-shafted" was in

- Douglas Co 18 Jan (NR).
- Horned Lark:** While best count in the w was a rather routine 690 in Scotts Bluff Co on 2 Jan (LMa), numbers in the e were staggering. From Garfield to Saunders Cos on 31 Dec, about 11,000 were counted (NR), and "thousands" were in Kearney Co 23 Dec (LRa,RHa) and in w Hall Co 8 Jan (LRa,RHa).
- Blue Jay:** Best count in the w was of 5 in Scotts Bluff Co 2 Jan (LMa), while 18 were noted in Douglas Co 23 Jan (NR).
- Pinyon Jay:** The only report was of 45 at a feeder on James Ranch throughout the period (SLe).
- Clark's Nutcracker:** Following last year's report, 2 birds appeared again in Scotts Bluff Co to be counted on the CBC (Fide AKe). Few details were provided, however.
- Black-billed Magpie:** Easterly birds were 1-2 near Willis 2 and 29 Jan, near the e limit for the species (BFH), and 1 at Branched Oak SRA 5 Feb (JoJ). The species is not known to breed in Lancaster Co, but winter birds have appeared most years recently. On the James Ranch in Sioux Co, 8 first came to feeders 9 Jan, remaining the rest of the period (SLe). Best count in the w was 22 at NPNWR on 27 Jan (LMa). Most southeasterly, but probably within the regular range, were up to 11 in Franklin Co 10 Dec (LRa,RHa).
- American Crow:** Best count was 250 at Branched Oak SRA 20 Dec (LEi); no large concentrations overwintered.
- Black-capped Chickadee:** A large count was the 40 at Loup Junction WMA on 8 Jan (LRa,RHa).
- Red-breasted Nuthatch:** Carter Canyon holds a good wintering population, as up to 12 were counted there during the period (LMa,AKe). None appeared at a James Ranch feeder until 16 Jan, but remained thereafter (SLe). This species was scarce in the e, with few reported.
- White-breasted Nuthatch:** This species is essentially a winter visitor in Scotts Bluff Co, where 1-2 were reported 15 and 22 Dec and 13 Jan (LMa).
- Brown Creeper:** Wintering birds were restricted to the extreme se, no further n and w than Douglas Co, where 1 was at Towle Park 25 Jan (NR).
- Carolina Wren:** The only reports were from the current breeding range; 1 in a Sarpy Co yard throughout (KCR) and another at Arbor Day Farm 20-22 Dec (LLF).
- Winter Wren:** Totally unexpected were 2 at Cedar Point Biological Station 5 Feb (SJD); Rosché (Birds of the Lake Mc Conaughy Area, 1994) lists only 3 prior records for the area, the latest 16 Dec. All but 1 bird, including the current 2, were seen on dry juniper-covered hillsides (Rosché0). Wintering is virtually restricted to the se, and so 1 nw of Branched Oak Lake 24 Jan (JGu) was unexpected; it had been found there on the Seward CBC (Russ Benedict fide JGu). Another was at Branched Oak SRA 20 Dec (LEi); was it the same bird?
- Marsh Wren:** At least 2 wintered in the seeps at the base of Kingsley Dam; these birds were seen there 23 Dec and 5 Feb (SJD,WRS). A few may winter in the Clear Creek Marsh also, as 2 were there 22 Dec (SJD,WRS,GBr).
- Golden-crowned Kinglet:** Best counts were from the se, as expected, with 10 at Lincoln on 17 Dec (LEi) and 5 a good midwinter count at University of Nebraska-Omaha on 25 Jan (JoJ). Furthest nw were 2 at St Johns Cemetery in Norfolk 17 Dec (JJo).
- Eastern Bluebird:** Few midwinter reports were received: best count was 15 at the Kearney Sewage Treatment Plant on 22 Jan (LRa,RHa), also the westernmost report, while 2 were in ne Buffalo Co on 21 Jan (LRa,RHa) and another was in Cass Co 5 Jan (Gwo,KDG).

- Mountain Bluebird:** First returnees to the breeding area were 15 s of Gering on 22 Feb (AKe). There were no reports of wintering birds, which are regular e to Lincoln Co.
- Townsend's Solitaire:** Easternmost were singles n of St Paul on 8 Jan (LRa,RHa) and near Fort Kearny SHP on 14 Jan (LRa,RHa). This is probably about the e edge of the regular winter range.
- American Robin:** Very few wintered, the best Jan count only 15, at Branched Oak SRA 21 Jan (WRS,SJD). They were "absent all winter" in Dakota Co (BFH). Best count for the period was only 100 at Alma on 11 Feb (LRa,RHa), probably early migrants.
- Varied Thrush:** An imm male was at an Omaha feeder at 2215 122nd Avenue through the period (SJD,NR), for the only report. In recent years about 1 has appeared each year, most often in Omaha.
- Brown Thrasher:** Rather late was 1 in an Omaha yard until 7 Dec (NR). There are several Dec reports from se NE.
- Cedar Waxwing:** Numbers were only moderate, the best count only 150 at Bowman L SRA on 27 Dec (LRa,RHa). None were seen after 30 Dec in Otoe Co (LLF).
- Northern Shrike:** Reports were s and e to Douglas Co, 1 at Glenn Cunningham L on 18 Jan (NR), Lancaster Co, singles 15 and 21 Jan and 4 Feb (LEi), and Franklin Co, 1 near Franklin on 10 Dec (LRa,RHa).
- Loggerhead Shrike:** This species is restricted to extreme se NE in winter; the only reports of 1 in se Otoe Co 12 Feb (LLF) and another at Arbor L WMA 10 Dec (LEi).
- European Starling:** No large concentrations wintered; best count was 450, considered "an especially large flock," at Gibbon on 25 Dec (LRa,RHa).
- Yellow-rumped Warbler:** Unexpected in midwinter and rather westerly for the date was 1 in a yard in Seward 8 and 15 Feb (JGu). There are no confirmed NE reports of wintering, and this is only the 4th Feb record. Such birds should be carefully identified to race, as a 1 Jan 1993 record in Dakota Co was the western race auduboni (NBR 61:94).
- Northern Cardinal:** The 2 pioneers in Scotts Bluff Co persisted through the period (AKe); this is the westernmost known population in NE. Best count was 28 in Douglas Co 28 Jan (NR).
- Rufous-sided Towhee:** The only midwinter reports were of 1 in Douglas Co 2 Feb, not identified to race (NR), and a "spotted" race bird at Harlan Co Res 4 Feb (SJD,WRS).
- American Tree Sparrow:** Best counts were 385 at CLNWR on 27 Feb (LMA) and 300 at Bowman L SRA on 27 Dec (LRa,RHa).
- Song Sparrow:** Wintering birds may occur at any open water; best count was 5 at L Ogallala on 29 Jan (JoJ). Along with 1 at Loup Junction WMA on 8 Jan (LRa,RHa), these were the most northwestward reports.
- White-throated Sparrow:** The only midwinter report was of 2 at a feeder n of Lincoln on 4 Feb (LEi). Two more lingered in an Omaha yard until 31 Dec (NR). None had returned by the end of the period.
- White-crowned Sparrow:** Few were reported. Best counts were only 8, wintering at Branched Oak SRA (LEi), and 5 at Funk Lagoon WPA on 19 Feb (LRa,RHa).
- Harris' Sparrow:** Generally small numbers were reported w to Harlan Co Res, where 7 were seen 11 Feb (LRa,RHa), and n to Madison Co, where 5 were counted 17 Dec (JJo), although a large flock of 50 wintered at Branched Oak SRA, including a partial albino (LEi).
- Dark-eyed Junco:** Juncos were rather numerous this winter, although unexpected were "thousands" 2 miles w of Cotesfield in Howard Co on 8 Jan (LRa,RHa). Best count otherwise was 200 in Otoe Co on 8 Feb (LLF). An interesting, although typical of the area, mix was

- at a James Ranch feeder during the winter: 7 "oregon", 6 "white-winged", and 7 "slate-colored" (SLe).
- Lapland Longspur:** Very large numbers were reported at about the same time large numbers of Horned Larks appeared (see above), although a flock of 3000 in Dixon Co 2 Feb contained no Horned Larks (JJo). About 5000 were near the highways 80-81 junction in York Co on 28 Jan (NR), and 1000, most females and imms, were 2 miles w of Wood River on 4 Dec (LRa,RHa).
- Snow Bunting:** Strangely, this species was virtually unreported, with a mere 5 birds sighted: 1 was in Cass Co 7 Dec (Gwo,KDG), 1 was in Scotts Bluff Co 27 Jan (LMA), 2 were in Harlan Co 4 Feb (SJD), and 1 was in s Dixon Co 12 Feb (WRS).
- Red-winged Blackbird:** Few wintered; largest such group was about 100 in the Branched Oak SRA area (LEi). None were noted between 3 Dec and 25 Feb in extreme ne NE (BFH). Best fall count was a modest 2220 in Scotts Bluff Co on 7 Dec (LMA), and spring migrants first were noted in numbers with "at least" 500 at Summit Res SRA on 26 Feb (JoJ).
- Western Meadowlark:** First singing males were noted in the w in Scotts Bluff Co on 4 Feb (AKe), and in the e at North Lake Basin WMA on 18 Feb (JGu). Best count in midwinter was only 17 in Douglas Co on 2 Feb (NR) (but see Meadowlark, sp.).
- Meadowlark, sp.:** Best count for midwinter was 125 in York Co on 29 Jan (NR), a very good count.
- Rusty Blackbird:** The only report was of 1-4 in Dixon Co on 3-4 Dec (JJo).
- Common Grackle:** The only midwinter report was of 1 at Grandpa's Steakhouse Pond on 28 Jan (LRa,RHa). No others were reported between 31 Dec in Polk Co (NR) and 24 Feb in Cass Co (Gwo,KDG). Overwintering is unusual.
- Brown-headed Cowbird:** Very unusual in midwinter, more so than Common Grackle, were 5 in a mixed blackbird flock at Branched Oak SRA 21 Jan (LEi) and a female in sw Hall Co 5 Feb (RHa,LRa). The only other report was of 1 near Gibbon on 27 Feb (LRa,RHa).
- Purple Finch:** The only reports were from the extreme se; up to 6 were at Arbor Day Farm throughout the winter period (LLF), 8 were in Towle Park in Omaha on 25 Jan (NR), and 1 was in a Bellevue yard 6 Jan (KCR).
- Red Crossbill:** None were reported away from the w panhandle, where 8 were counted on the Scottsbluff CBC (fide AKe) and 1 was in Scotts Bluff Co on 4 Feb (LMA).
- Common Redpoll:** None were reported.
- Pine Siskin:** Numbers were moderate, with best counts only 50 at Branched Oak SRA on 20 Dec (LEi), 40 in Scotts Bluff Co on 17 Dec (LMA), and 40 in Douglas Co on 29 Dec (NR). None appeared in the observer's Otoe Co yard until 25 Jan (LLF).
- American Goldfinch:** Numbers were also moderate for this species, although good counts included 200 near Gibbon on 23 Dec (LRa,RHa) and 100 in Dixon Co on 12 Feb (JJo).

OBSERVERS

Gordon Brown (GBr), Ames, IA; Kathleen Crawford-Rose (KCR), Bellevue; Kevin DeGarmo (KDG), Elmwood; Jan DeGarmo (JDG), Elmwood; Stephen J. Dinsmore (SJD), Ames, IA; Larry Einemann (LEi), Lincoln; Laurence L. Falk (LLF), Nebraska City; Joe Gubanyi (JGu), Seward; Robin Harding (RHa), Gibbon; Bill F. Huser (BFH), South Sioux City; Jan Johnson (JJo), Wakefield; Gerald Jorgensen (GeJ), Blair; Joel Jorgensen (JoJ), Blair; Alice Kenitz (AKe), Gering; Lucy Koenig (LKO), NPNWR, Scottsbluff; Sandy Lemmon (SLe), Crawford; Larry Malone (LMA), Scottsbluff; Wayne Mollhoff (WMO), Albion; Lanny

Randolph (LRa), Gibbon; Neal Ratzlaff (NR), Omaha; Loni Schlothauer (LSc), Mitchell; Sam Schlothauer (SSc), Mitchell; W. Ross Silcock (WRS), Tabor, IA; Edna Claire Thomas (ECT), Morrill; Donald Wood (DWo), Elmwood; Gertrude Wood (GWo), Elmwood.

1994 AND 1995 SURVEYS OF BALD AND GOLDEN EAGLES IN NEBRASKA

John Dinan, Nongame Bird Program Manager with the Nebraska Game and Parks Commission, supplied the information for the 1994 (January 1-15) and 1995 (January 4-18) National Wildlife Federation surveys.

Conditions for 1994 survey: Temperatures 20 to 50° F Jan. 1-5, and from -5 to 45° F Jan. 6-10; light to moderate snow cover in the panhandle, 2-4" of snow in the northeast, and none in the rest of Nebraska. Niobrara River had ice cover up to 80-95% in some reaches; Missouri River was flowing with 50-75% slush; other rivers surveyed by air were mostly ice-free. Larger reservoirs, i.e. Harlan and Lake McConaughy, had some ice cover in protected bays and at the upper ends, but the main areas were open. The rest of the lakes and smaller reservoirs had ice-cover ranging from 40 to 100%.

Conditions for 1995 survey: Temperatures -5 to 25° F. Niobrara River had ice cover up to 98%; Missouri River was flowing with 40-60% slush; Platte River had 10-100% ice cover; other rivers surveyed were mostly ice-covered; most reservoirs were predominantly ice-covered; Lake McConaughy approx. 40% ice-covered.

There were 30 Golden Eagle sightings in Nebraska in 1994 and 35 sightings in 1995. They were distributed in the following areas: North Platte River: Bayard-Lisco (1, '95), Lisco-Lewellen (3, '94), Lewellen-Keystone (area lakes) (6, '94); North Loup River: Burwell to mouth (1, '94); Middle Loup River: Thedford-Milburn (1, '94); Niobrara River: Snake River-Cornell (2, '95), Redbird/Lynch-Missouri River (1, '95); Missouri River: Gavins Point-Goat Island (7, '95); Other Areas: Blue Creek (2, '95), Beaver Creek (4, '94), Frenchman (1, '94); and in the following counties: Dawes (4, '94, 1, '95); Dundy (2, '94, 1, '95); Greeley (1, '95); Keith (5, '95); Polk (1, '95); Sheridan (3, '94, 6, '95); Sioux (3, '94, 6, '95); Thomas (1, '95); and Wheeler (2, '94).

The 1994 total of 1163 Bald Eagles was a 67% increase over the 1993 count of 698, and a 56% increase over the 1980-1994 average of 744. The 1995 total of 749 Bald Eagles was a 36% decrease from the 1994 count and a less than 1% increase over the 1980-1995 statewide average of 744 Bald Eagles.

Further information may be obtained from John Dinan, Nebraska Game and Parks Commission, 2200 N. 33rd St., Lincoln, NE 68503-0370.

The data on Bald Eagles is presented in the tables on the following pages. Imm. = immature, NWR = National Wildlife Refuge; WMA = Wildlife Management Area.

TABLES ON BALD EAGLES IN NEBRASKA

National Wildlife Federation survey. First number in each cell is January, 1994 count, and second number is January, 1995 count, but year is given in parentheses if observations are restricted to one year.

	Adults	Imm.	Total
North Platte River Totals	72, 59	24, 23	96, 82
Wyoming Line-Bayard (Area Lakes)	9, 13	3, 10	12, 23
Bayard-Lisco	7, 4	0, 1	7, 5
Lisco-Lewellen	6, 9	9, 7	15, 16
Lewellen-Keystone (Area Lakes)	34, 23	10, 4	44, 27
Keystone-Paxton	7, 7	2, 1	9, 8
Paxton-North Platte	9, 3	0, 0	9, 3

South Platte River Totals	10, 10	6, 4	16, 14
Colorado Line-Big Springs *	1, 1	0, 0	1, 1
Big Springs-Paxton	3, 2	1, 0	4, 2
Paxton-North Platte, Tri-Co. Div.	6, 7	5, 4	11, 11

* Correction in NBR 61 (1), 1993, p. 22. Colorado Springs should be Colorado Line.

Platte River Totals	195, 93	54, 29	249, 123*
North Platte-Gothenberg (Lake, Canal)	23, 4	6, 2	29, 7*
Gothenberg-Darr	8, 14	0, 1	8, 15
Darr-Elm Creek (Lakes, Canal)	104, 12	38, 5	142, 17
Elm Creek-Kearney	15, 3	4, 1	19, 4
Kearney-Shelton	7, 2	0, 3	7, 5
Shelton-Grand Island	5, 1	1, 2	6, 3
Grand Island-Silver Creek	3, 7	0, 0	3, 7
Silver Creek-Columbus	0, 2	0, 1	0, 3
Columbus-North Bend	10, 29	0, 11	10, 40
North Bend-Fremont	3, 6	0, 0	3, 6
Fremont-Linoma	8, 11	2, 2	10, 13
Linoma-Plattsmouth	9, 2	3, 1	12, 3

* Includes 1 of unknown age in North Platte - Gothenberg region.

	Adults	Imm.	Total
North Loup River, Middle Loup River, & Loup River Totals	45, 66	4, 8	49, 74
Brewster-Burwell (North Loup)	4, 3	1, 0	5, 3
Burwell-mouth (North Loup)	6, 7	0, 0	6, 7
Thedford-Milburn (Middle Loup)	2, 1	0, 0	2, 1
Arcadia-mouth (Sherman Res.) (Middle Loup)	14, 9	2, 4	16, 13
North Loup River-Genoa (Loup R.)	16, 33	1, 1	17, 34
Genoa-mouth (Loup River)	3, 13	0, 3	3, 16

Niobrara River Totals	59, 31	5, 10	64, 41
Snake River-Cornell	16, 6	4, 4	20, 10
Cornell-Cherry Co. Line	6, 12	0, 1	6, 13
Cherry Co. Line-Cuba	15, 4	0, 1	15, 5
Cuba-Newport	8, 2	0, 0	8, 2
Newport-Redbird/Lynch	9, 4	0, 2	9, 6
Redbird/Lynch-Missouri River	5, 3	1, 2	6, 5

Snake River Totals (Hwy 97 bridge-mouth (Merritt Res.))	109, 16	38, 4	147, 20
--	----------------	--------------	----------------

Republican River Totals	81, 33	44, 34	125, 75*
Alma-Naponee (Harlan Res.)	75, 33	39, 34	114, 75*
Naponee-Riverton	5, 0	5, 0	10, 0
Riverton-Guide Rock	1 ('94)	0 ('94)	1 ('94)

* Includes 8 of unknown age in Alma-Naponee (Harlan Res.) region.

Missouri River Totals	229, 107	54, 28	283, 216*
NE Line-Ponca St. Park ('94), -Monowi ('95)	174, 0	41, 0	215, 15*
Monowi-Gavins Pt., Lewis & Clark Lake	0 ('95)	0 ('95)	20* ('95)
Gavins Pt.-Goat Island	41 ('95)	10 ('95)	51 ('95)
Goat Island.-Ponca St. Park	2	1	4*
Ponca St. Park-Homer	1, 7	0, 1	1, 8
Homer-Decatur	2, 1	1, 5	3, 6
Decatur-Tekamah	2, 3	0, 1	2, 4
Tek.-Mormon Bridge (DeSoto NWR)	11, 15	0, 0	11, 15

Missouri River Region (continued)

Adults Imm. Total

Mormon Bridge-Hwy 275	1, 0	0, 0	1, 0
Hwy 275-Plattsmouth	6, 7	0, 1	6, 8
Plattsmouth-Union	4, 3	0, 1	4, 4
Union-Peru	6, 11	2, 2	8, 13
Peru-Indian State Park	18, 10	2, 0	20, 55*
Indian Cave St. Park-Kansas Line	4, 7	8, 6	12, 13

* The following numbers of unknown age (all in '95) were included in the total counts: NE Line-Monowi (15); Monowi-Gavins Pt. (20); Goat Island-Ponca St. Park (1); Peru-Indian Cave St. Park (45), making a total of 81, which are included in the grand total.

Reservoirs and Lakes, Totals	42, 35	21, 15	63, 50
Sutherland Reservoir	5, 19	7, 8	12, 27
Lake Maloney	12, 0	5, 0	17, 0
Enders Reservoir	1, 5	1, 0	2, 5
Swanson Reservoir	11, 3	2, 5	13, 8
Red Willow Reservoir	1, 0	0, 0	1, 0
Medicine Creek Reservoir	3, 3	1, 1	4, 4
Calamus Reservoir	7, 3	5, 0	12, 3
Salt Valley Lakes	0, 2	0, 1	0, 3
Walgren Lake	2, 0	0, 0	2, 0

No Bald Eagles seen at Lake Babcock or Lincoln city lakes, '94, '95.

Other Areas, Totals	12, 9	9, 10	21, 19
Blue Creek (Garden Co.)	2 ('95)	0 ('95)	2 ('95)
Grandpa's Pit (Buffalo Co.)	0 ('95)	2 ('95)	2 ('95)
Sac-Wilcox WMA	1, 0	2, 0	3, 0
Sandy Creek NRD	0, 1	0, 0	0, 1
Beaver Creek	10, 4	7, 5	17, 9
Frenchman	1, 2	0, 2	1, 4
Turkey Creek	0 ('95)	1 ('95)	1 ('95)

No Bald Eagles seen at Sidney, Mahon Ranch, Cody Park, Schilling WMA, Funk WMA, or Twin Lakes in '94 or '95, and none at Valentine NWR or Maloney Canal in '95 (not included in '94).

Counties Totals	34, 28	16, 7	50, 35
Boone	3 ('95)	1 ('95)	4 ('95)
Boyd	1 ('95)	0 ('95)	1 ('95)

Counties (continued)	Adults	Imm.	Total
Brown	2 ('94)	0 ('94)	2 ('94)
Cherry	4 ('94)	4 ('94)	8 ('94)
Cuming	4, 2	1, 0	5, 2
Custer	4 ('95)	0 ('95)	4 ('95)
Dawes	1, 0	0, 0	1, 0
Dodge	1 ('95)	0 ('95)	1 ('95)
Furnas	13, 4	6, 4	19, 8
Harlan	2, 3	2, 0	4, 3
Hitchcock	0 ('95)	1 ('95)	1 ('95)
Knox	1 ('95)	0 ('95)	1 ('95)
Nance	2 ('94)	0 ('94)	2 ('94)
Sheridan	0, 1	0, 0	0, 1
Sioux	1, 0	1, 0	2, 0
Stanton	1, 3	0, 1	1, 4
Thayer	2 ('95)	0 ('95)	2 ('95)
Thomas	1 ('95)	0 ('95)	1 ('95)
Wayne	2 ('95)	0 ('95)	2 ('95)
Wheeler	4 ('94)	2 ('94)	6 ('94)

No Bald Eagles were seen in Dundy '94 or '95, and none in Greeley, Keith, or Polk '95 (not included in '94).

Nebraska Totals	888, 487	275, 172	1163, 749*
------------------------	-----------------	-----------------	-------------------

* Includes 90 Bald Eagles of unknown age.

NOTE ON BIRD SIGHTING IN NEBRASKA

Black-throated Blue Warbler. I saw this bird in our yard (James Ranch, Fort Robinson State Park, Sioux Co.) between October 10 and 13, 1993. It had a black face and throat, blue-gray head, back, and tail, with white patches on its wings. I used the Golden Field Guide to Birds of North America, and the Audubon Society Field Guide to North American Birds to identify it. It did not seem to be disturbed by my presence (5 to 10 feet away), but moved about very rapidly. It was with a bird tentatively identified as an immature Yellow-rumped Warbler, and was also sometimes seen at the same time as an immature Yellow-bellied Sapsucker. On October 8, we had 14" snow and temperatures down to the lower 20's (F). The temperature was close to 50° on Oct. 9 and 10, but the ground was still mostly snow-covered. I photographed the Black-throated Blue Warbler in our maple tree, lilac bush, and on the house roof. It seemed to be hunting for insects in these places.

-----Sandy Lemmon, P.O. Box 381, Crawford, NE 69339

[Ed. Photos have been sent to the Records Committee.]

Nebraska Ornithologists' Union, Inc.
3018 O Street, Lincoln, NE 68510-1529

Forward and Return Postage Guaranteed
Address Correction Requested

Table of Contents

NOU Treasurer's Annual Report.....	2
Christmas Bird Count for 1994.....	3
List of Species for Which the Records Committee Seeks Documentation.....	12
Winter Field Report, December-February, 1994-1995.....	14
1994 & 1995 Surveys of Bald and Golden Eagles in Nebraska...	23
Note on Bird Sighting in Nebraska.....	27

The Nebraska Bird Review is published quarterly in March, June, September, and December by the Nebraska Ornithologists' Union, Inc., as its official journal, and is sent to members not in arrears for dues. Annual subscription rates (on a calendar-year basis only): \$12.50 in the United States, \$15.00 in Canada and Mexico, and \$17.50 for all other countries, payable in advance. Single copies are \$4.00 each, postpaid, in the United States, and \$5.00 elsewhere. Send orders for back issues to Mary H. Pritchard, NOU Librarian, University of Nebraska State Museum, Lincoln, NE 68588-0514.

Memberships in NOU (on a calendar year basis only): Active, \$10.00; Sustaining, \$20.00; Student, \$8.00; Family Active, \$15.00; Family Sustaining, \$25.00; Life, \$150.00. Send dues and subscriptions to Elizabeth Grenon, NOU Treasurer, 1409 Childs Road East, Bellevue, NE 68005.

Send manuscripts, Christmas count reports, and notes on bird sightings to Rosalind Morris, Editor, 3018 O St., Lincoln, NE 68510-1529. Quarterly bird reports are sent to Ross Silcock, P.O. Box 300, Tabor, IA 51653.

Other officers are: President, Neal Ratzlaff, 536 Brentwood Rd., Omaha, NE 68114-4269; Vice-President, Bill Huser, 401 E. 14th St., South Sioux City, NE 68776; Secretary, Robin Harding, R.R. 2, Box 218, Gibbon, NE 68840-99654; Directors, Roger Sharpe, 661 South 85th St., Omaha, NE 68114; Mark Brogie, 508 Seeley, Box 316, Creighton, NE 68729; Alice Kenitz, 190648 County Road 22, Gering, NE 69341. The Records Committee Chair is Joseph Gubanyi, Concordia College, Seward, NE 68434.